

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. : 7,462,165 B2
Serial No. : 10/071,400
Applicant : Ding et al. Confirmation No. 1077
Issued : December 9, 2008
Title: : MEDICAL DEVICE WITH SPONGE COATING FOR CONTROLLED
DRUG RELEASE
Examiner : Stigell, Theodore
Art Unit : 3763

Attn: Certificate of Corrections Branch

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 C.F.R. §1.322

SIR:

Patentee hereby requests that the enclosed Certificate of Correction be issued for the above Patent. The following error was a mistake made by the Patent and Trademark Office and did not occur through applicant error. Correction thereof does not involve changes in the patent as would constitute new matter or would require reexamination. In particular:

Column 8, line 31 (claim 1, line 17), "active material;" should be changed to
--active material, the reservoir space extending substantially the length of the balloon;--.

The above claim amendment was included in the Examiner's Amendment of August 8, 2008. Because this error was a mistake by the Patent and Trademark Office, no fee is required.

Respectfully submitted,

KENYON & KENYON LLP

Dated: September 21, 2009

/Jocelyn D. Ram/
Jocelyn D. Ram
Reg. No. 54,898

KENYON AND KENYON LLP
1500 K Street, N.W., Suite 700
Washington, D.C. 20005
(202) 220-4200
(202) 220-4201 (Fax)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,462,165 B2

APPLICATION NO.: 10/071,400

ISSUE DATE : December 9, 2008

INVENTOR(S) : Ding et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8, line 31 (claim 1, line 17), "active material;" should be changed to
--active material, the reservoir space extending substantially the length of the balloon;--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

KENYON & KENYON LLP
1500 K Street, N.W., Suite 700
Washington, D.C. 20005-1257

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.